



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$
CE	

2000/14/EC	&\$\$\$#(#
uıı ; Wz%: Unıž) \$<nž; : 'šz	

	"	"	"	"	Amp
230		22,00		20,00	34,00

fgDL	GC ;) &
DF DL	GC " \$(*"
%)	z&(

Standard Specifications

(*) \$S

z

fl ! E

z

z

!

!

!

!

ALTERNATOR

TRANSFER SWITCH

Manufacturer		Lister Petter		
Model		LPW 4		
	L	1,86		
	"	86 X 80		
		18.5:1		
	# "	3000		
	L	5,80		
	L	7,50		
AbsorbedAirDischargeReSourceKey.Text	' # "	39,50		
	' # "	110,40		
	° C	540		
		12 V d.c.		
	Load	%\$i	'+) i)\$i
	# "			
		7,80	6,10	4,50

		Mecc Alte		
		ECO 31-2SN/2		
	Hz	50		
	"	26		
7 cg'		0,80		
		1		
	fl ı	230		
	A	37		
		&# 'UXia		

		fl ı		fl ı	
	"	"	"	"	L
ALP 22M	530	1450	820	1100	90
		fl ı		fl ı	
	"	"	"	"	L
ASM 2	710	1920	870	1280	90

f@Bt
f%&@t
f@z@Bt

#

#

6G'9B*\$-\$)
6G'9B*\$\$\$!*&
6G'9B*\$\$\$!*(

GA 8

!%& "

%, !&*\$


%&\$)

ž

ž

ž

5GA &!



Technical specifications and descriptions for the generator, including details on power output, efficiency, and operational parameters. The text is partially obscured by noise and artifacts.

	"	870
f) "7	"	1920
f) "7	"	1280
		90