

AGM 25

GM
Mecc Alte
D+&



ISO8528

GC ;) &

SZUTEST

GC - \$\$\$

CE

2000/14/EC

&\$\$#/(#

! ž \$ < nž 7 cg 1 \$ž

| | | | | | |
|---------|-------|-------|-------|-------|-------|
| | | | | | |
| | " | " | " | " | |
| 400/230 | 25.00 | 20.00 | 22.00 | 18.00 | 32.00 |

fP GDŁ

GC ;) &

fDF DŁ

%\$!

%

%&

ž&(

GC " \$(**

Standart Specification

- Heavy duty, water cooled naturalgas engine
- 46/50 °C ambient rated radiator with mechanical fan
- Protective grille for fan and rotating parts
- Electric starter and charge alternator
- Starting battery (with lead acid) including rack and cables
- Engine jacket cooling heater
- Base frame design incorporates an integral fuel tank and anti-vibration isolators
- Flexible fuel connection hoses
- Single bearing, class H alternator
- Industrial exhaust silencer and steel belows supplied separately
- Static battery charger
- Manual for use and installation

1

ENGINE

!

ALTERNATOR

!

WISE ACCESSORIES

!

CONTROL SYSTEM

!

AGM 25

GM
Mecc Alte
D+&

| | | |
|------------------------|---------------------|-------------|
| Manufacturer | GM | |
| Model | 430 | |
| | 1500 d/dk | & "\$ "G-DQ |
| | L | 3.9200 |
| | | 102 x 91 |
| | | 8,2:1 |
| | fl # L | rpm |
| | | 1500 |
| Fuel Consumption | m ³ /h. | 7,5 |
| Gas Pressure | mbar | 35-50 |
| Oil Capacity | L | 4 |
| Absorbed Air Discharge | m ³ /dk. | 2 |
| Disposal Air | m ³ /san | 1 |
| | m ³ /dk. | 4 |
| | mm - ss | 1200 |
| | ° C | 491 |
| Emitted Heat | " | 6 |


| | | |
|--------------|--------------|----|
| Manufacturer | Mecc Alte | |
| | ECO 28-2LN/4 | |
| | " | 25 |
| Cos fi | 1 | |
| | 3 | |
| | 400/230 | |
| 5_ia | A | 36 |

| | | | | |
|--|-----|------|-----|------|
| | | | | |
| | " | " | " | " |
| | 500 | 1600 | 850 | 1200 |
| | " | " | " | " |
| | 760 | 1950 | 900 | 1250 |

AGM 25

GM
Mecc Alte
D+&''

● D+&''



● Devices

8G9Ž +&\$Ž) 5Ž&&\$#(\$

● Structure And Paint

● Montage

● Generator Control Unit

8G9+&\$ 8G9+&\$ fi
) \$ ž
8G9+ &\$ ž
fi ž fi %\$\$
ž
ž ž ž ž

AGM 25

GM
Mecc Alte
D+&

Indicator

f@BŁ
f@%&!@Ł
f@z@BŁ

Protection

#

Optional Properties

Standards

#

6G'9B*\$-\$) \$

6G'9B*\$\$\$!*!&

6G'9B*\$\$\$!*!(

Electronic Charge Equipment

GA 8
% , !&* \$ ") ž " !%& " " %&\$) ž " ž " ž

AGM 25

GM
Mecc Alte
D+&''

5?; (&) !'

1

fj !&+)

ž

ž

1

ž

ž

ž

ž

ž

| | |
|-----|--------|
| | AKG 25 |
| mm. | 910 |