

AJD 75

John Deere
Mecc Alte
D+&



ISO8528	GC,) &
SZUTEST	GC - \$\$\$
CE	

2000/14/EC

&\$\$\$#(#

z) \$ z'z' D:

	"	"	"	"	Amp
400/230	75,00	60,00	68,00	54,40	98,00

Standard Specifications

(*) \$ \$

fl ! E

z

z

ALTERNATOR

fl ! E

fl " E

fl " \$ E

TRANSFER SWITCH

fl ! E

AJD 75

John Deere
Mecc Alte
D+&

Manufacturer	John Deere		
Model	4045 T		
	% \$ \$	"# "	
	+\$	"Q (<DQ	
	L	4,50	
	"	106 X127	
		17:1	
	fl # ı	"# "	1500
	fl ı	L	13,20
		L	21,50
AbsorbedAirDischargeReSourceKey.Text	' # "	4,60	
	' # "	12,20	
	° C	538	
		12 V d.c.	
	Load	% \$ \$ı	'+)ı
	# ") \$ı	
		16,00	12,20
			8,10


	Mecc Alte		
	ECO 32-3L/4		
	Hz	50	
	"	70	
7cg		0,80	
		3	
	fl ı	400/230	
	A	101	
Temperatur		H	

		fl ı		fl ı	
	"	"	"	"	L
AJD 75	1050	2150	1050	1460	240
		fl ı		fl ı	
	"	"	"	"	L
AK 40	1380	3120	1060	1750	

AJD 75

John Deere
Mecc Alte
D+&''

1 D+&''



- 1
- 2
- 3
- 4
- 4

2

8G9ž +&\$ž) 5ž&&\$#(\$

3

4

5

8G9'+&\$

8G9'+&\$

fl

8G9'+&\$

ž

fl

ž

ž

fl

%\$\$

ž

#

ž

ž

ž

ž

"

AJD 75

John Deere
Mecc Alte
D+&

f@BŁ
f@%&@Ł
f@%&@BŁ

#

#

6G'9B *\$-\$) \$
6G'9B *%\$\$!*&
6G'9B *%\$\$!*(

GA 8

!%& "

%, !&* \$

%)

ž


ž

ž

AJD 75

John Deere
Mecc Alte
D+&''

5? (\$!'



- 1
- 2
- 3
- 4
- 4
- 5
- 7

fl \$!'' \$\$' E

ž

ž

"

ž

ž

ž

ž

ž

'&\$\$#%/# "

	"	1060
fl "E	"	3120
fl "E	"	1750