

# APD 12 A

Aksa  
Aksa  
D+&''



ISO8528

GC ; ) &-

SZUTEST

GC - \$\$\$%



2000/14/EC

&\$\$\$#( #

z) \$ z' \$z 'D:

	"	"	"	"	Amp
400/230	11,50	9,20	10,60	8,50	15,00

fDGL

=GC ; ) &

"

fDF DL

% %&

=GC " \$(\*\*

z&(

=GC

, ) & z

%\$i

### Standard Specifications

Aksa power generation system, providing optimum performance, reliability, and versaity for stationery standby, prime power, and continuous duty applications. All generator sets are prototype tested, factory build, and production tested.

ALTERNATOR

TRANSFER SWITCH

# APD 12 A

Aksa  
Aksa D+&''




Manufacturer		Aksa
Model		A3CRX14
		% \$\$\$ "# "
		%& "0% < DQ
	L	1,40
	"	80 X 90
		18.0:01
	fl # ı	"# " 1500
	fl ı	L 4,50
		L 7,00
AbsorbedAirDischargeReSourceKey.Text	' # "	1,60
	' # "	80
	' # "	4,50
	° C	420
		12 V d.c.
	Load	\$\$\$ı
	# "	
		3,50

		Aksa
	Hz	50
7 cg		0,80
		3
	fl ı	400/230

		fl ı		fl ı	
	"	"	"	"	L
APD 12 A					50
		fl ı		fl ı	
	"	"	"	"	L
AK 10	570	1850	860	1140	50

D+&''



# APD 12 A

Aksa  
Aksa  
D+&''



- 1 8G9ž +&\$ž ) 5ž&&\$#&(\$
- 2
- 3
- 4 8G9'+&\$ 8G9'+&\$ ž fl  
&)' ž  
'8G9'+&\$ ž "
- 5 fl ž ž ž ž ž " ž ž ž ž ž %&\$ ž  
ž  
# ž ž ž ž ž

# APD 12 A

Aksa  
Aksa  
D+&''



f@BŁ  
f@%&@Ł  
f@%&@BŁ

#

#

6G'9B \*\$-\$) \$  
6G'9B \*%\$\$!\*&  
6G'9B \*%\$\$!\*(

GA 8

!%& "

# APD 12 A

Aksa  
Aksa  
D+&''



5? %\$!'

fV\$!' \$\$ E

&\$\$\$#/(# "

	"	860
fl "E	"	1850
fl "E	"	1140
		50