

APD 16 A

Aksa
Aksa
D+&



ISO8528

GC ;) &

SZUTEST

GC - \$\$\$



2000/14/EC

&\$\$\$#(#

z) \$ z'z' D:

	"	"	"	"	Amp
400/230	15,50	12,50	14,50	11,60	20,00

FDGL

GC ;) &

) & z

FDGL

%&

GC" \$(*"

z&(

GC

Standard Specifications

(*#\$\$

fl

!

E

z

z

ALTERNATOR

TRANSFER SWITCH

APD 16 A

Aksa
Aksa D+&




Manufacturer		Aksa
Model		A4CRX18
		% \$ \$ " # "
		% " & \$ < DQ
	L	1,80
	"	80 X 90
		18.0:1
	fl # ı	"# " 1500
	fl ı	L 5,00
		L 9,00
AbsorbedAirDischargeReSourceKey.Text	' # "	2,00
	' # "	120
fl ' # ı	' # "	5,80
	° C	425
		12 V d.c.
	Load	% \$ \$ ı
	# "	
		4,00

		Aksa
	Hz	50
7 cg		0,80
		3
	fl ı	400/230

		fl ı		fl ı	
	"	"	"	"	L
APD 16 A					50
		fl ı		fl ı	
	"	"	"	"	L
AK 10	585	1850	860	1140	50

D+&



APD 16 A

Aksa
Aksa
D+&



- 1 8G9ž +&\$ž) 5ž&&\$#&(\$
- 2
- 3
- 4 8G9'+&\$ 8G9'+&\$ ž fl
- 5 8G9'+&\$ ž
- 6 fl ž fl %&\$
- 7 # ž ž ž ž " ž

APD 16 A

Aksa
Aksa
D+&''



f@Bt
f@%&@t
f@%&@Bt

#

#

6G'9B*\$-\$)'
6G'9B*\$\$\$!*!&
6G'9B*\$\$\$!*!(

GA 8

!%& "

APD 16 A

Aksa
Aksa
D+&



5? %\$!

1

fl" Ł \$ \$ Ł
ž ž

1

ž ž ž ž
ž ž
&\$\$\$#%/# "

	"	860
fl "Ł	"	1850
fl "Ł	"	1140
		50