

APD 200 C

Cummins
Akso
D+&''



ISO8528

GC ;) &-

SZUTEST

GC - \$\$\$%



2000/14/EC

&\$\$\$#(#

z) \$' z'z' D:

	"	"	"	"	Amp
400/230	200,00	160,00	180,00	144,00	259,00

FDGL

GC ;) &

) & z

FDGL

%\$i

% %&

GC" \$(*"

z&(

GC

Standard Specifications

(*#\$\$

fl

!

z

z

ALTERNATOR

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

TRANSFER SWITCH

!

!

!

!

!

!

APD 200 C

Cummins
Aksa D+&




Manufacturer		Cummins
Model		6 CTA 8,3-G2
		% \$ \$ " # "
		% \$ " "
		Q (% < DQ
	L	8,30
	"	114 X 135
		16,5:1
	fl # 7	"# "
	fl 7	L
		20,00
		L
		36,00
AbsorbedAirDischargeReSourceKey.Text	' # "	12,50
	' # "	186
fl ' # 7	' # "	30,00
		24 V d.c.
	Load	% \$ \$ 1
	# "	
		40,00

		Aksa
	Hz	50
7 cg		0,80
		3
	fl 7	400/230

		fl 7		fl 7	
	"	"	"	"	L
APD 200 C	1860	2300	1100	1700	320
		fl 7		fl 7	
	"	"	"	"	L
APD 150 A.	2280	3270	1170	1870	

D+&



APD 200 C

Cummins
Aksa
D+&''



- 1 8G9ž +&\$ž) 5ž&&\$#&(\$
- 2
- 3
- 4 8G9'+&\$ 8G9'+&\$ ž fl
- 5 8G9'+&\$ ž
- 6 fl ž fl %&\$
- 7 ž ž ž ž ž
- 8 # ž ž ž ž ž

APD 200 C

Cummins
Aksa
D+&''



f@Bt
f@%&@t
f@z@Bt

#

#

6G'9B *\$-\$) '\$
6G'9B *%\$\$!*&
6G'9B *%\$\$!*(

GA 8

!%& "

%, !&*\$

%)

ž

ž

ž

ž

APD 200 C

Cummins
Aksa
D+&



5D8 % \$'5"!'

1

f) !&+)

7

ž

ž

1

ž

ž

ž

ž

	"	1170
f) 7	"	3270
f) 7	"	1870