

APD 250 A

Aksa
Aksa

D+&''



ISO8528	GC ;) &-
SZUTEST	GC - \$\$\$%
CE	

2000/14/EC &\$\$\$#(#
z) \$ z'z' D:

	"	"	"	"	Amp
400/230	250,00	200,00	230,00	184,00	331,00

Standard Specifications

(* # \$ \$

ALTERNATOR

TRANSFER SWITCH

APD 250 A

Aksa
Aksa D+&




Manufacturer		Aksa												
Model		6CRX98TA												
		<table border="1"> <tr> <td>∅</td> <td>\$</td> <td>"#</td> <td>"</td> </tr> <tr> <td>&&\$</td> <td>"</td> <td></td> <td></td> </tr> <tr> <td>(-)</td> <td><</td> <td>DQ</td> <td></td> </tr> </table>	∅	\$	"#	"	&&\$	"			(-)	<	DQ	
∅	\$	"#	"											
&&\$	"													
(-)	<	DQ												
	L	9,72												
	"	126 x 130												
		16,5:1												
	fl # ı	"# "	1500											
	fl ı	L	24,00											
		L	46,00											
AbsorbedAirDischargeReSourceKey.Text	' # "	23,00												
	' # "	380												
fl ' # ı	' # "	49,00												
	° C	580												
		24 V d.c.												
	Load	∅\$ı												
	# "													
		52,00												

		Aksa
	Hz	50
7cg		0,80
		3
	fl ı	400/230

		fl ı		fl ı	
	"	"	"	"	L
APD 250 A	2645	3000	1220	2050	525
		fl ı		fl ı	
	"	"	"	"	L
APD 250 A	3380	3900	1470	2170	

D+&



APD 250 A

Aksa
Aksa
D+&''



- 1 8G9ž +&\$ž) 5ž&&\$#&(\$
- 2
- 3
- 4 8G9'+&\$ 8G9'+&\$ ž fl
- 5 8G9'+&\$ ž
- 6 fl ž fl %\$\$
- 7 ž ž ž ž ž
- 8 # ž ž ž ž

APD 250 A

Aksa
Aksa
D+&''



f@Bt
f@%&@t
f@z@Bt

#

#

6G'9B*\$-\$)'

6G'9B*\$\$\$!*!&

6G'9B*\$\$\$!*!(

GA 8

!%&

"

%, !&*\$

%&\$)

ž

ž

ž

APD 250 A

Aksa
Aksa
D+&''



5D8' &) \$'5 !'

1

f) !&+)

7

ž

ž

2

ž

ž

ž

ž

	"	1470
f) 7	"	3900
f) 7	"	2170